

Portable power distribution systems for the firefighting services.




The only electrical power system that is waterproof and crushproof, delivering dependable electrical power safely, while eliminating G.F.I nuisance tripping...



The Fire Power System is engineered to eliminate dangerous GFI nuisance tripping and make electrical power available at the fireground without any worry to the firefighter. The system is engineered with abuse in mind!

Fire Power is the only system designed exclusively for the safety and convenience of the firefighter. They can't be crushed by other fire vehicles as other conventional connectors can, and can be submerged in 3' of water. The firefighter can stop worrying about being left without power while fighting a fire. It is easy to install, easy to lay out, and above all else dependable.



All Fire Power products are designed to be Crushproof & waterproof when mated.



Internal FS-Box Receptacle, M165200

For use in on-board firesafe conduit box.



3 Outlet Rollover junction. Crush resistant and waterproof up to 3' when mated.



External FS-Box Receptacle M128900

Waterproof when mated.



Male and Female IP68 Pigtails
Male M164502
Female M102405

3' Fire Power Pigtails Custom options and lengths available

Male / Female Extensions

Waterproof when mated. IP68 rated. Molded plugs available in black and red. Custom options and lengths available

M164300 (25')

Male to Female 12/3 Extensions		
Product	Product Code	
Black Molded Plugs, 25'	M164302	
Black Molded Plugs, 50'	M164300	
Red Molded Plugs, 100'	M164301	

Male and Female IP68 Pigtails		
Product	Product Code	
Female 10/3 Yellow, 3'	M101610-010Y-003-BLK	
Male 10/3 Yellow, 3'	M102405-010Y-003-BLK	
Female 12/3 Yellow, 3'	M101607	
Male 12/3 Yellow, 3'	M102402	
Female 12/3 Yellow, 10'	M101610-012Y-010-BLK	
Male 12/3 Yellow, 25'	M102400-012Y-025-BLK	

Junctions, Receptacles, and Accessories		
Product	Product Code	
Box Receptacle, Internal FS	M165200	
Box Receptacle, External FS	M128900	
Cold Shrink Kit 10/3 -12/3	A265001	
Cold Shrink Kit 14/3 -16/3	A265000	
Rollover Block, (3) 12/3 outlets	M164500	
Spider (FP-40): (1)M-input (2)F-output	M164400	

Custom Options and Lengths Available







MADE IN USA